


PRUŽINY

Tažné pružiny NEREZOVÉ



TAŽNÉ PRUŽINY - NEREZ OCEĽ						
Průměr drátu d (mm)	Vnější průměr pružiny De (mm)	Délka pružiny v nezátíženém stavu Lo (mm)	Prodloužení pružiny při max. deformaci Ln - Lo (mm)	Počet z závitů z	Síla potřebná pro max. deformaci pružiny Fn (N)	Tuhost pružiny c (N/mm)
1,0	5,0	15,8	3,25	10	50,6	13,24
		21,8	5,20	16		8,25
		30,8	8,12	25		5,31
	7,0	19,0	8,17	10	37,7	3,92
		25,0	13,10	16		2,45
		34,0	20,40	25		1,52
		49,0	32,70	40		0,98
		290,0	220,00	60		0,15
	11,0	25,4	24,80	10	24,6	0,85
		31,4	39,60	16		0,53
		40,4	61,90	25		0,34
		55,4	99,00	40		0,22
		75,4	149,00	60		0,14
1,1	5,5	17,4	3,54	10	60,6	14,58
		24,0	5,66	16		9,16
		33,9	8,84	25		5,83
	7,5	20,6	8,30	10	46,2	4,74
		27,2	13,30	16		2,96
		37,1	20,80	25		1,90
		53,6	33,20	40		1,18
	12,0	27,8	26,40	10	29,8	0,96
		34,4	42,30	16		0,63
		44,3	66,10	25		0,38
		60,8	106,00	40		0,23
		82,8	159,00	60		0,17
1,2	6,0	19,0	3,80	10	71,1	15,91
		26,2	6,08	16		10,00
		37,0	9,50	25		6,36
	8,5	23,0	9,85	10	52,3	4,52
		30,2	15,80	16		2,82
		41,0	24,60	25		1,81
		59,0	39,60	40		1,12
		290,0	225,00	60		0,20
	13,0	30,2	27,90	10	35,2	1,07
		37,4	44,70	16		0,67
		48,2	69,80	25		0,42