


PRUŽINY

Tažné pružiny NEREZOVÉ



TAŽNÉ PRUŽINY - NEREZ OCEL						
Průměr drátu d (mm)	Vnější průměr pružiny De (mm)	Délka pružiny v nezátíženém stavu Lo (mm)	Prodloužení pružiny při max. deformaci Ln - Lo (mm)	Počet z závitů z	Síla potřebná pro max. deformaci pružiny Fn (N)	Tuhost pružiny c (N/mm)
1,6	17,0	87,7	137,00	40	62,0	0,38
		120,0	205,00	60		0,25
1,8	9,0	28,4	5,37	10	150,0	23,82
		39,2	8,59	16		14,83
		55,4	13,40	25		9,58
	12,0	33,2	11,90	10	117,0	8,41
		44,0	19,00	16		5,23
		60,2	29,70	25		3,35
		87,2	47,60	40		2,10
		290,0	175,00	60		0,57
	20,0	46,0	41,90	10	72,0	1,48
		56,8	67,00	16		0,92
		73,0	105,00	25		0,59
		100,0	167,00	40		0,37
		136,0	251,00	60		0,24
2,0	10,0	31,6	5,86	10	183,0	26,49
		43,6	9,38	16		16,58
		61,6	14,70	25		10,66
	14,0	38,0	14,70	10	137,0	7,85
		50,0	23,60	16		4,90
		68,0	36,90	25		3,14
		98,0	59,00	40		1,96
	22,0	50,8	44,70	10	89,0	1,69
		62,8	71,50	16		1,06
		80,8	112,00	25		0,67
		111,0	179,00	40		0,42
		151,0	268,00	60		0,28
2,2	11,0	34,8	6,30	10	216,0	29,16
		48,0	10,10	16		18,24
		67,8	15,80	25		11,66
	15,0	41,2	14,80	10	165,0	9,50
		54,4	23,70	16		5,91
		74,2	37,00	25		3,79
		107,0	59,20	40		2,37
	24,0	55,6	47,10	10	106,0	1,92
		68,8	75,30	16		1,20
		88,6	118,00	25		0,77